



Safe. Strong. Reliable.

LOOKING FOR THE **BEST** TRAILER BODY MANUFACTURERS?
GROW YOUR BUSINESS WITH **BHARDWAJ BODY BUILDERS**
THE EXPERTS IN TRAILER BODY BUILDING **SINCE 1978.**



Flat Bed

Side Wall

Tip Trailer

Container

THE LEADER IN TRAILER MANUFACTURING

SINCE
1978



Safe. Strong. Reliable.

ABOUT THE COMPANY

Since 1978, Bhardwaj has provided customers with high quality, work-ready transportation solutions. Today, Bhardwaj is Bihar-Jharkhand's most popular manufacturer of work Trailer bodies. There are more work Trailers on the road today with "Bhardwaj" stamped on them than any other manufacturer.

With a group of excellent employees, Bhardwaj's vehicle upfitting capabilities handles everything from single-unit to large-volume fleet needs across all vehicle types and sizes. In addition, a breadth of install capabilities, unrivaled chassis access, and ability to source the best vocational equipment make Bhardwaj the obvious choice for your vehicle needs.

Trust the name that has been in the business for over since 1978, choose Bhardwaj Body Builders.

VISION | MISSION

Vision: To be a world class manufacturer of automotive custom design bodies, combining excellence in R&D.

Mission:

For Customer: To offer the most flexible and excellent quality product at the best market rate in minimum production cycle.

For Vendors and Suppliers: To maintain a long term, mutually beneficial quality association.

For Employees: To create a perfect ambiance at the work place by providing excellent mixture of in-house and outbound training to improve them socially and professionally.

For Community: To enhance the economic growth by bridging the gap between skilled and non-skilled resources along with a foot towards environmental protection.



BODIES BUILT TO HIGHER STANDARD

PRODUCT GALLERY

WITH
BEST MATERIALS
AND DESIGN



Safe. Strong. Reliable.

We are a world class manufacturing unit with Indian ingenuity. Our well-established productions techniques and good engineering practices make the difference at BHARDWAJ. Our experienced work men and trained welders are supervised by qualified and experienced engineers.



TATA MOTORS
TRAILER AXLES &
COMPONENTS



apollo
TYRES



MODEL : STEEL LOAD BODY

DELIVERED TO
RAIRANGPUR
ODISHA



BODY SPECIFICATION :

1. Height : 4.6Feet Front Head Board 6FT
2. Width : 7.5Feet
3. Length : 27Feet
4. Sail : 75MM
5. Side Sheet : 3MM Hr Sheet 8X5
6. Floor Thickness : 5MM Plane sheet
7. Side Stiffner : 75 MM Channel + Sheet Bend
8. Cross Member : 100MM Channel
9. Colour : Done
10. Wiring : Rear Dala Side Lights

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : 32 CUBIC TIP TRAILER

DELIVERED TO
GODA
JHARKHAND



BODY SPECIFICATION :

- | | |
|---------------------------|--|
| 1. Height | : 5Feet 9Inch |
| 2. Width | : 7Feet 7Inch |
| 3. Length | : 24Feet 8Inch |
| 4. Floor Thickness | : 5MM Sheet |
| 5. Head Board & Tail Door | : 4MM |
| 6. Air Lift Suspension | : 1 |
| 7. Mechanical Suspension | : 2 |
| 8. King Pin | : York |
| 9. Axle | : 1950 54 Ton York |
| 10. Hydraulic Kit | : Hyva 169 FC 4 Stage
with PTO and Pump |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : SEMI LOW TRAILER

DELIVERED TO
JHARKHAND



BODY SPECIFICATION :

- | | |
|------------------|---------------------|
| 1. Width | : 9Feet |
| 2. Length | : 40Feet |
| 3. I Beam Sill | : 450MM |
| 4. Side Channel | : 150MM |
| 5. Floor Sheet | : 4MM Chequre Plate |
| 6. Paint | : Done |
| 7. Electrical | : Done |
| 8. Reflective | : Done |
| 9. Axle | : 3/1850/54 Ton |
| 10. Landing Gear | : York |
| 11. King Pin | : York |
| 12. Tyre | : Apollo |
| 13. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : 34 CUBIC TIP TRAILER

DELIVERED TO
SHEIKHPURA
BIHAR



BODY SPECIFICATION :

- | | |
|---------------------------|---|
| 1. Height | : 1850MM |
| 2. Width | : 2345MM |
| 3. Length | : 7980MM |
| 4. Floor Sheet Thickness | : 5MM |
| 5. Side Wall | : 4MM |
| 6. Head Board & Tail Door | : 4MM |
| 7. Axle & Suspension | : 3 Axle 1950-54Ton with
Type B24 Booster York |
| 8. Landing Gear | : York |
| 9. King Pin | : York |
| 10. Hydraulic Kit | : Hydromas 197 Fc Stage with
Pto and Pump |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : SIDE WALL TRAILER

DELIVERED TO
MUZAFFARPUR
BIHAR



BODY SPECIFICATION :

- | | |
|--------------------|-----------------------------|
| 1. Width | : 8½Feet |
| 2. Length | : 32Feet |
| 3. Height | : 5Feet |
| 4. I Beam Sill | : 400MM SILL |
| 5. Side Sheet | : 3MM TATA |
| 6. Side Channel | : 125MM SILL |
| 7. Floor Sheet | : 3.15MM Chequre Plate TATA |
| 8. Paint | : Done |
| 9. Electrical | : Done |
| 10. Reflective | : Done |
| 11. Axle | : 3/1850/54 Ton York |
| 12. Brake Line Kit | : Wabco |
| 13. Tyre | : JK Tyre |
| 14. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : 30 CUBIC TIP TRAILER

DELIVERED TO
LAKHISARAI
BIHAR



BODY SPECIFICATION :

- | | |
|---------------------------|-------------------------|
| 1. Height | : 5Feet 3Inch |
| 2. Width | : 7Feet 8Inch |
| 3. Length | : 26Feet |
| 4. Head Board & Tail Door | : 4MM |
| 5. Side Wall | : 4MM |
| 6. Floor | : E350 4MM |
| 7. Paint | : Done |
| 8. Electrical | : Done |
| 9. Reflective | : Done |
| 10. Axle | : 3/1950/54 Ton |
| 11. Axle Type | : B24 Booster York Axle |
| 12. Tyre | : Apollo |
| 13. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : SIDE WALL TRAILER

DELIVERED TO
HAZIPUR
BIHAR



BODY SPECIFICATION :

- | | |
|--------------------|-----------------------------|
| 1. Width | : 8½Feet |
| 2. Length | : 30Feet |
| 3. Height | : 4½Feet |
| 4. I Beam Sill | : 400MM SAIL |
| 5. Side Sheet | : 3MM TATA |
| 6. Side Channel | : 125MM SAIL |
| 7. Floor Sheet | : 3.15MM Chequre Plate TATA |
| 8. Paint | : Done |
| 9. Electrical | : Done |
| 10. Reflective | : Done |
| 11. Axle | : 3/1850/54 Ton Kross |
| 12. Brake Line Kit | : Wabco |
| 13. Tyre | : Apollo LD |
| 14. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : SIDE WALL TRAILER

DELIVERED TO
PATNA
BIHAR




BODY SPECIFICATION :

- | | |
|-------------------------------|--|
| 1. Height | : 5Feet 6Inch |
| 2. Width | : 8½Feet 8Inch |
| 3. Length | : 32Feet |
| 4. I Beam Sill | : 400MM SAIL |
| 5. Side Sheet | : 3MM |
| 6. Side Channel | : 75MM Vertical Post |
| 7. Floor Sheet | : 3.15MM Chequre Plate |
| 8. Window | : 2 Nos. On Both Sides |
| 9. Paint | : Done |
| 10. Electrical | : Done |
| 11. Reflective | : Done |
| 12. Axle | : 3 Axle/1950/54 Ton Type
B24 Booster Kross Axle |
| 13. Suspension | : 2 Mechanical Suspension
(include Hanger, Jhula and Patii)
+ 1 Lift Suspension with Load & Lifting Balloons |
| 14. Landing Gear | : Tata Gear Type |
| 15. King Pin & Brake Line Kit | : Wabco |
| 16. Tyre | : 12 Nos. MRF S3C8 |
| 17. Rims | : 12 Nos. SSWL |
| 18. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : 32 CUBIC TIP TRAILER

DELIVERED TO
MUZAFFARPUR
BIHAR



BODY SPECIFICATION :

- | | |
|---------------------------|---|
| 1. Width | : 7Feet 8Inch |
| 2. Length | : 26Feet |
| 3. Height | : 5Feet 6Inch |
| 4. Floor | : 4MM |
| 5. Side Wall | : 4MM |
| 6. Head Board & Tail Door | : 4MM |
| 7. Axle | : 3 Axle 1950 54 Ton with Type B
24 Booster York(Blue Cap Model) |
| 8. Hydraulic | : Hyva 169 Stage 4 With
PTO & Pump |
| 9. Tyre | : Apollo |
| 10. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : SIDE WALL TRAILER

DELIVERED TO
BHAGALPUR
BIHAR



BODY SPECIFICATION :

- | | |
|--------------------|-----------------------------|
| 1. Height | : 4½Feet |
| 2. Width | : 8½Feet |
| 3. Length | : 32Feet |
| 4. I Beam Sill | : 400MM SILL |
| 5. Side Sheet | : 3MM |
| 6. Side Channel | : 125MM |
| 7. Floor Sheet | : 3.15MM Chequre Plate TATA |
| 8. Paint | : Done |
| 9. Electrical | : Done |
| 10. Reflective | : Done |
| 11. Axle | : 3/1850/54 Ton |
| 12. Brake Line Kit | : Wabco |
| 13. Tyre | : MRF |
| 14. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : SIDE WALL TRAILER

DELIVERED TO
NAWADA
BIHAR



BODY SPECIFICATION :

- | | |
|----------------|-----------------|
| 1. Width | : 8Feet |
| 2. Length | : 32Feet |
| 3. Height | : 5Feet |
| 4. Sail | : 75MM |
| 5. Side Sheet | : 3MM |
| 6. Floor | : 3.15MM |
| 7. Axle | : 3/1850/54 Ton |
| 8. Electrical | : Side Light |
| 9. Paint | : Done |
| 10. Reflective | : Done |
| 11. Tyre | : Apollo |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : HEAVY DUTY CONTAINER TRAILER



Safe. Strong. Reliable.

DELIVERED TO
BHAGALPUR
BIHAR



BODY SPECIFICATION :

- | | |
|--------------------|--------------------------------------|
| 1. Height | : 8Feet |
| 2. Width | : 8½Feet |
| 3. Length | : 38Feet |
| 4. I Beam Sill | : 400MM SAIL |
| 5. Side Sheet | : 3MM TATA Corrugated |
| 6. Side Channel | : 125MM SAIL |
| 7. Floor Sheet | : 4MM Chequre Plate TATA |
| 8. Paint | : Done |
| 9. Electrical | : Done |
| 10. Reflective | : Done |
| 11. Axle | : 3/1850/Road Bull 15 Ton York |
| 12. Suspension | : All Mechanical 18Ton
Heavy Duty |
| 13. Brake Line Kit | : Wabco |
| 14. Tyre | : Apollo LD Endurance 1000/20 |
| 15. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.

MODEL : STEEL LOAD BODY

DELIVERED TO
JAMSHEDPUR
JHARKHAND



BODY SPECIFICATION :

- | | |
|--------------------|----------------------------|
| 1. Width | : 8½Feet |
| 2. Length | : 32Feet |
| 3. Height | : 5Feet |
| 4. I Beam Sill | : 400MM SAIL |
| 5. Side Sheets | : 3MM TATA |
| 6. Side Channel | : 125MM SAIL |
| 7. Floor Sheet | : 4MM Chequre Plate TATA |
| 8. Axle | : 3/1850/54 Ton York RB 15 |
| 9. Electrical | : Done |
| 10. Paint | : Done |
| 11. Reflective | : Done |
| 12. Suspension | : 18Ton York |
| 13. Brake Line Kit | : Wabco |
| 14. Tyre | : Apollo LD Endurance |
| 15. Tyre Type | : Radial |

Note : The specifications can be tailored to meet specific needs, offering flexibility and customization. These adjustments ensure the product perfectly aligns with individual requirements.



Safe. Strong. Reliable.

We have various Clients from Bihar, Jharkhand
Uttar Pradesh, Odisha and West Bengal.

If you have any questions, don't hesitate, Call
now.

BHARDWAJ BODY BUILDERS STEEL BODY UNIT

Opposite WAVE International, Asanbani,
P.O.: Kanderbera, P.S.: Chandil,
Seraikele-Kharsawan, Jharkhand -832401

TRUCK BODY UNIT

Road No. 17, Jawahar Nagar,
Near Bharat Petrol Pump, Mango,
Jamshedpur - 831012



Mobile : 82107 05300 | 94311 12730 | 96611 47945

Mail : ranjit.bhardwaj.jsr@gmail.com